


NEW



**SWEET**® **Hika**®

**YONGKANG KUNYU GARDEN MACHINERY CO.,LTD.**

永康市焜昱园林机械有限公司

ADD: No.43, Longqingshan, Yazhuang Village, Zhiying Town,  
Yongkang, Zhejiang, China

地址: 浙江省永康市芝英镇雅庄村龙青山43号

销售热线/Mobile: (0)18967485558

传真/FAX: +86-579-87122855

网站: <http://yksweettools.com> / [sweet123456.en.alibaba.com](http://sweet123456.en.alibaba.com)



**SWEET**®

焜昱园林



**Garden Tools Manufacturer**

CHAIN SAWS • BRUSH CUTTERS • SPARE PARTS

# 焜昱园林

我们多年以来重视产品的创新，从研发到生产根据市场新的变动趋势，推出诸多符合市场需求的产品。

在我们不断努力下，焜昱获得了许多荣誉，  
但我们不因此沾沾自喜，  
而是作为登上更高目标的阶梯...



# Catalogue

Garden Tools Manufacturer



|                                 |       |
|---------------------------------|-------|
| CHAIN SAW.....                  | 3-7   |
| BRUSH CUTTER.....               | 8-16  |
| WATER PUMP.....                 | 16    |
| MINI TILLER .....               | 17    |
| EARTH AUGER .....               | 18    |
| HEDGE TRIMMER .....             | 18    |
| 070 PARTS.....                  | 19-22 |
| 381 PARTS.....                  | 23-26 |
| 066 PARTS.....                  | 27-28 |
| 268 PARTS.....                  | 29    |
| 5200 PARTS.....                 | 30-31 |
| CX35 PARTS.....                 | 32    |
| GEAR CASE SERIES.....           | 33    |
| WEEDING WHEEL SERIES.....       | 34    |
| CONNECTOR SERIES.....           | 35    |
| STARTER SERIES.....             | 36-37 |
| GUIDE BAR/SAW CHAIN SERIES..... | 38-39 |

**SWEET® HIKAR®**



MOD.Sawmill



**SAWMILL**  
Maximum cutting thickness 150mm  
Maximum cutting diameter 750mm  
Net weight 8KG  
Color Box Size 1000x300x80mm

MOD.070



| Model                             | Sawmill                            | 070                                |
|-----------------------------------|------------------------------------|------------------------------------|
| Engine type                       | 2 Stroke                           | 2 Stroke                           |
| Displacement                      | 105.7cc                            | 105.7cc                            |
| Rated Output Power&Relevant Speed | 4.8kw/8000rpm                      | 4.8kw/8000rpm                      |
| Fuel Mixture Ratio                | 25/1(Gasoline 25: Two-cycle Oil 1) | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                | 1200ml                             | 1200ml                             |
| Engline Oil Tank Capacity         | 530ml                              | 530ml                              |
| Guide Bar                         | 25" 30"                            | 30" 36" 42"                        |
| Chain Pitch                       | 0.404"                             | 0.404"                             |
| Chain Gauge                       | 0.063"                             | 0.063"                             |
| Net Weight                        | 10.7kg                             | 10.7kg                             |
| Color Box Size                    | 535x315x325mm                      | 535x315x325mm                      |



| Model                             | 066                                |
|-----------------------------------|------------------------------------|
| Engine type                       | 2 Stroke                           |
| Displacement                      | 91.6cc                             |
| Rated Output Power&Relevant Speed | 5.2kw/9300rpm                      |
| Fuel Mixture Ratio                | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                | 680ml                              |
| Engline Oil Tank Capacity         | 360ml                              |
| Guide Bar                         | 24" 30"                            |
| Chain Pitch                       | 3/8"                               |
| Chain Gauge                       | 0.058"                             |
| Net Weight                        | 7kg                                |
| Color Box Size                    | 480x290x330cm                      |



| Model                             | 381 NEW                            |
|-----------------------------------|------------------------------------|
| Engine type                       | 2 Stroke                           |
| Displacement                      | 72.2cc                             |
| Rated Output Power&Relevant Speed | 3.3kw/7500rpm                      |
| Fuel Mixture Ratio                | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                | 680ml                              |
| Engline Oil Tank Capacity         | 360ml                              |
| Guide Bar                         | 20" 24"                            |
| Chain Pitch                       | 3/8"                               |
| Chain Gauge                       | 0.063"                             |
| Net Weight                        | 6.7kg                              |
| Color Box Size                    | 450x260x300mm                      |



| Model                             | 380/381                            |
|-----------------------------------|------------------------------------|
| Engine type                       | 2 Stroke                           |
| Displacement                      | 72.2cc                             |
| Rated Output Power&Relevant Speed | 3.3kw/7500rpm                      |
| Fuel Mixture Ratio                | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                | 680ml                              |
| Engline Oil Tank Capacity         | 360ml                              |
| Guide Bar                         | 20" 24"                            |
| Chain Pitch                       | 3/8"                               |
| Chain Gauge                       | 0.063"                             |
| Net Weight                        | 6.7kg                              |
| Color Box Size                    | 450x260x300mm                      |



| Model                             | 250                                |
|-----------------------------------|------------------------------------|
| Engine type                       | 2 Stroke                           |
| Displacement                      | 45.5cc                             |
| Rated Output Power&Relevant Speed | 2.3kw/9500rpm                      |
| Fuel Mixture Ratio                | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                | 470ml                              |
| Engline Oil Tank Capacity         | 200ml                              |
| Guide Bar                         | 16" 18"                            |
| Chain Pitch                       | 3/8"                               |
| Chain Gauge                       | 0.050"                             |
| Net Weight                        | 5kg                                |
| Color Box Size                    | 440x260x285mm                      |



|                                                                                    |                                    |
|------------------------------------------------------------------------------------|------------------------------------|
|  |                                    |
| Model                                                                              | 4000                               |
| Engine type                                                                        | 2 Stroke                           |
| Displacement                                                                       | 39.6cc                             |
| Rated Output Power&Relevant Speed                                                  | 1.5kw/11000rpm                     |
| Fuel Mixture Ratio                                                                 | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                                                                 | 410ml                              |
| Engline Oil Tank Capacity                                                          | 240ml                              |
| Guide Bar                                                                          | 16"                                |
| Chain Pitch                                                                        | 3/8"                               |
| Chain Gauge                                                                        | 0.050"                             |
| Net Weight                                                                         | 4.3kg                              |
| Color Box Size                                                                     | 470x250x330mm                      |

|                                                                                      |                                    |
|--------------------------------------------------------------------------------------|------------------------------------|
|  |                                    |
| Model                                                                                | 4200ES                             |
| Engine type                                                                          | 2 Stroke                           |
| Displacement                                                                         | 39.6cc                             |
| Rated Output Power&Relevant Speed                                                    | 1.5kw/11000rpm                     |
| Fuel Mixture Ratio                                                                   | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                                                                   | 410ml                              |
| Engline Oil Tank Capacity                                                            | 240ml                              |
| Guide Bar                                                                            | 16"                                |
| Chain Pitch                                                                          | 3/8"                               |
| Chain Gauge                                                                          | 0.050"                             |
| Net Weight                                                                           | 4.3kg                              |
| Color Box Size                                                                       | 470x250x330mm                      |



|                                                                                     |                                    |                                                                                     |                                    |
|-------------------------------------------------------------------------------------|------------------------------------|-------------------------------------------------------------------------------------|------------------------------------|
|  |                                    |  |                                    |
| Model                                                                               | 5200                               | Model                                                                               | 5800                               |
| Engine type                                                                         | 2 Stroke                           | Engine type                                                                         | 2 Stroke                           |
| Displacement                                                                        | 49.3cc                             | Displacement                                                                        | 54.6cc                             |
| Rated Output Power&Relevant Speed                                                   | 2.0kw/7500rpm                      | Rated Output Power&Relevant Speed                                                   | 2.2kw/7500rpm                      |
| Fuel Mixture Ratio                                                                  | 25/1(Gasoline 25: Two-cycle Oil 1) | Fuel Mixture Ratio                                                                  | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                                                                  | 550ml                              | Fuel Tank Capacity                                                                  | 550ml                              |
| Engline Oil Tank Capacity                                                           | 260ml                              | Engline Oil Tank Capacity                                                           | 260ml                              |
| Guide Bar                                                                           | 18" 20" 22"                        | Guide Bar                                                                           | 18" 20" 22"                        |
| Chain Pitch                                                                         | 0.325" 3/8"                        | Chain Pitch                                                                         | 0.325" 3/8"                        |
| Chain Gauge                                                                         | 0.058" 0.063"                      | Chain Gauge                                                                         | 0.058" 0.063"                      |
| Net Weight                                                                          | 6.0kg                              | Net Weight                                                                          | 6.0kg                              |
| Color Box Size                                                                      | 490x260x300mm                      | Color Box Size                                                                      | 490x260x300mm                      |

|                                                                                       |                                    |                                                                                       |                                    |
|---------------------------------------------------------------------------------------|------------------------------------|---------------------------------------------------------------------------------------|------------------------------------|
|  |                                    |  |                                    |
| Model                                                                                 | 268                                | Model                                                                                 | 180                                |
| Engine type                                                                           | 2 Stroke                           | Engine type                                                                           | 2 Stroke                           |
| Displacement                                                                          | 69cc                               | Displacement                                                                          | 31.8cc                             |
| Rated Output Power&Relevant Speed                                                     | 3.2kw/7500rpm                      | Rated Output Power&Relevant Speed                                                     | 1.5kw/9500rpm                      |
| Fuel Mixture Ratio                                                                    | 25/1(Gasoline 25: Two-cycle Oil 1) | Fuel Mixture Ratio                                                                    | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                                                                    | 750ml                              | Fuel Tank Capacity                                                                    | 250ml                              |
| Engline Oil Tank Capacity                                                             | 450ml                              | Engline Oil Tank Capacity                                                             | 145ml                              |
| Guide Bar                                                                             | 20" 24"                            | Guide Bar                                                                             | 14" 16"                            |
| Chain Pitch                                                                           | 3/8"                               | Chain Pitch                                                                           | 3/8"                               |
| Chain Gauge                                                                           | 0.063"                             | Chain Gauge                                                                           | 0.050"                             |
| Net Weight                                                                            | 6.0kg                              | Net Weight                                                                            | 3.9kg                              |
| Color Box Size                                                                        | 480x265x315mm                      | Color Box Size                                                                        | 380x250x280mm                      |



|                                   |                                    |                                    |
|-----------------------------------|------------------------------------|------------------------------------|
| Model                             | 2500                               | 3600                               |
| Engine type                       | 2 Stroke                           | 2 Stroke                           |
| Displacement                      | 25.4cc                             | 25.4cc                             |
| Rated Output Power&Relevant Speed | 1.0kw/7500rpm                      | 1.0kw/7500rpm                      |
| Fuel Mixture Ratio                | 25/1(Gasoline 25: Two-cycle Oil 1) | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                | 230ml                              | 230ml                              |
| Engline Oil Tank Capacity         | 160ml                              | 160ml                              |
| Guide Bar                         | 10" 12" 14"                        | 10" 12" 14"                        |
| Chain Pitch                       | 3/8"                               | 3/8"                               |
| Chain Gauge                       | 0.043" / 0.050"                    | 0.043" / 0.050"                    |
| Net Weight                        | 3.2kg                              | 3.2kg                              |
| Color Box Size                    | 310x250x230mm                      | 310x250x230mm                      |



|                                   |                                    |
|-----------------------------------|------------------------------------|
| Model                             | 3900                               |
| Engine type                       | 2 Stroke                           |
| Displacement                      | 25.4cc                             |
| Rated Output Power&Relevant Speed | 1.0kw/7500rpm                      |
| Fuel Mixture Ratio                | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                | 230ml                              |
| Engline Oil Tank Capacity         | 160ml                              |
| Guide Bar                         | 10" 12" 14"                        |
| Chain Pitch                       | 3/8"                               |
| Chain Gauge                       | 0.043" / 0.050"                    |
| Net Weight                        | 3.2kg                              |
| Color Box Size                    | 310x250x230mm                      |



|                                   |                                    |
|-----------------------------------|------------------------------------|
| Model                             | SW2511                             |
| Engine type                       | 2 Stroke                           |
| Displacement                      | 25cc                               |
| Rated Output Power&Relevant Speed | 0.9kw/12700rpm                     |
| Fuel Mixture Ratio                | 25/1(Gasoline 25: Two-cycle Oil 1) |
| Fuel Tank Capacity                | 190ml                              |
| Engline Oil Tank Capacity         | 140ml                              |
| Guide Bar                         | 10" 12" 14"                        |
| Chain Pitch                       | 3/8"                               |
| Chain Gauge                       | 0.043" / 0.050"                    |
| Net Weight                        | 2.3kg                              |
| Color Box Size                    | 310x250x230mm                      |



| Model               | CX35                                 | BG35                                 |
|---------------------|--------------------------------------|--------------------------------------|
| Engine              | 1E140F                               | 1E140F                               |
| Engine type         | Single Cylinder,Air Cooled, 4 Stroke | Single Cylinder,Air Cooled, 4 Stroke |
| Max power           | 1.0kw                                | 1.0kw                                |
| Displacement        | 35.8cc                               | 35.8cc                               |
| Carburetor Type     | Diaphragm type                       | Diaphragm type                       |
| Fuel Tank           | 1000ml                               | 1000ml                               |
| G.W/N.W Engine      | 4.3kg                                | 5.5kg                                |
| G.W/N.W Shaft       | 3.2kg                                | 3.2kg                                |
| Packing Size Engine | 315x300x225mm                        | 330x310x405mm                        |
| Packing Size Shaft  | 1650x100x100mm                       | 1500x100x100mm                       |



| Model               | BG35H                                |
|---------------------|--------------------------------------|
| Engine              | 1E140F                               |
| Engine type         | Single Cylinder,Air Cooled, 4 Stroke |
| Max power           | 1.0kw                                |
| Displacement        | 35.8cc                               |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 1000ml                               |
| G.W/N.W Engine      | 6.5kg                                |
| G.W/N.W Shaft       | 3.2kg                                |
| Packing Size Engine | 355x310x540mm                        |
| Packing Size Shaft  | 1500x100x100mm                       |



| Model               | CG139B                               | CG139HS                              |
|---------------------|--------------------------------------|--------------------------------------|
| Engine              | 1E139F                               | 1E139F                               |
| Engine type         | Single Cylinder,Air Cooled, 4 Stroke | Single Cylinder,Air Cooled, 4 Stroke |
| Max power           | 0.75kw                               | 0.75kw                               |
| Displacement        | 31cc                                 | 31cc                                 |
| Carburetor Type     | Diaphragm type                       | Diaphragm type                       |
| Fuel Tank           | 1000ml                               | 1000ml                               |
| G.W/N.W Engine      | 4.3kg                                | 4.3kg                                |
| G.W/N.W Shaft       | 3.2kg                                | 3.2kg                                |
| Packing Size Engine | 330x230x330mm                        | 330x230x330mm                        |
| Packing Size Shaft  | 1650x100x100mm                       | 1650x100x100mm                       |



| Model               | CG139                                | BG139                                |
|---------------------|--------------------------------------|--------------------------------------|
| Engine              | 1E139F                               | 1E139F                               |
| Engine type         | Single Cylinder,Air Cooled, 4 Stroke | Single Cylinder,Air Cooled, 4 Stroke |
| Max power           | 0.75kw                               | 0.75kw                               |
| Displacement        | 31cc                                 | 31cc                                 |
| Carburetor Type     | Diaphragm type                       | Diaphragm type                       |
| Fuel Tank           | 1000ml                               | 1000ml                               |
| G.W/N.W Engine      | 4.3kg                                | 5.5kg                                |
| G.W/N.W Shaft       | 3.2kg                                | 3.2kg                                |
| Packing Size Engine | 330x230x330mm                        | 330x240x360mm                        |
| Packing Size Shaft  | 1650x100x100mm                       | 1500x100x100mm                       |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | <b>SW35</b>                          |
| Engine              | 1E140F                               |
| Engine type         | Single Cylinder,Air Cooled, 4 Stroke |
| Max power           | 0.85kw                               |
| Displacement        | 35.8cc                               |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 1000ml                               |
| G.W/N.W Engine      | 4.3kg                                |
| G.W/N.W Shaft       | 3.2kg                                |
| Packing Size Engine | 315x300x225mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | <b>CX25</b>                          |
| Engine              | GX25                                 |
| Engine type         | Single Cylinder,Air Cooled, 4 Stroke |
| Max power           | 0.72kw                               |
| Displacement        | 25cc                                 |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 530ml                                |
| G.W/N.W Engine      | 3.5kg                                |
| G.W/N.W Shaft       | 3.2kg                                |
| Packing Size Engine | 320x300x225mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | <b>GX50</b>                          |
| Engine              | G50                                  |
| Engine type         | Single Cylinder,Air Cooled, 4 Stroke |
| Max power           | 1.47kw                               |
| Displacement        | 47.9cc                               |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 630ml                                |
| G.W/N.W Engine      | 4.2kg                                |
| G.W/N.W Shaft       | 3.2kg                                |
| Packing Size Engine | 330x230x330mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | <b>SW430</b>                         |
| Engine              | 1E40-5                               |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 1.25kw                               |
| Displacement        | 42.7cc                               |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 1200ml                               |
| G.W/N.W Engine      | 4.7kg                                |
| G.W/N.W Shaft       | 3.2kg                                |
| Packing Size Engine | 320x300x230mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | <b>CG260</b>                         |
| Engine              | 1E34F                                |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 0.7kw                                |
| Displacement        | 25.4cc                               |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 600ml                                |
| G.W/N.W Engine      | 3.5kg                                |
| G.W/N.W Shaft       | 3.2kg                                |
| Packing Size Engine | 320x300x220mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | <b>SW260 NEW</b>                     |
| Engine              | 1E34F                                |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 0.7kw                                |
| Displacement        | 25.4cc                               |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 600ml                                |
| G.W/N.W Engine      | 3.5kg                                |
| G.W/N.W Shaft       | 3.2kg                                |
| Packing Size Engine | 320x300x220mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | <b>CG330</b>                         |
| Engine              | 1E36F                                |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 0.9kw                                |
| Displacement        | 33cc                                 |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 850ml                                |
| G.W/N.W Engine      | 4.5kg                                |
| G.W/N.W Shaft       | 3.2kg                                |
| Packing Size Engine | 320x300x220mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | <b>SW330</b>                         |
| Engine              | 1E36F                                |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 0.9kw                                |
| Displacement        | 33cc                                 |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 850ml                                |
| G.W/N.W Engine      | 4.5kg                                |
| G.W/N.W Shaft       | 3.2kg                                |
| Packing Size Engine | 320x300x220mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | G26                                  |
| Engine              | 1E34F                                |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 0.8kw                                |
| Displacement        | 25.4cc                               |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 600ml                                |
| G.W/N.W Engine      | 3.5kg                                |
| G.W/N.W Shaft       | 3.2kg                                |
| Packing Size Engine | 320x300x220mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | SW226                                |
| Engine              | 1E34F                                |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 0.8kw                                |
| Displacement        | 25.4cc                               |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 600ml                                |
| G.W/N.W Engine      | 3.5kg                                |
| G.W/N.W Shaft       | 3.2kg                                |
| Packing Size Engine | 320x300x220mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | SW541                                |
| Engine              | 1E40-7F                              |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 1.6kw                                |
| Displacement        | 43cc                                 |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 1300ml                               |
| G.W/N.W Engine      | 6.1/5.6kg                            |
| G.W/N.W Shaft       | 3.7/3.2kg                            |
| Packing Size Engine | 370x280x240mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |




|                     |                                      |
|---------------------|--------------------------------------|
| Model               | SW143                                |
| Engine              | 1E40-7F                              |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 1.6kw                                |
| Displacement        | 43cc                                 |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 1300ml                               |
| G.W/N.W Engine      | 6.1/5.6kg                            |
| G.W/N.W Shaft       | 3.7/3.2kg                            |
| Packing Size Engine | 370x280x240mm                        |
| Packing Size Shaft  | 1650x100x100mm                       |





| Model               | CG430                                | CG430                                |
|---------------------|--------------------------------------|--------------------------------------|
| Engine              | 1E40-5                               | 1E40-5                               |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 1.25kw                               | 1.25kw                               |
| Displacement        | 42.7cc                               | 42.7cc                               |
| Carburetor Type     | Diaphragm type                       | Diaphragm type                       |
| Fuel Tank           | 1200ml                               | 1200ml                               |
| G.W/N.W Engine      | 4.7kg                                | 4.7kg                                |
| G.W/N.W Shaft       | 3.2kg                                | 3.2kg                                |
| Packing Size Engine | 320x300x230mm                        | 320x300x230mm                        |
| Packing Size Shaft  | 1650x100x100mm                       | 1650x100x100mm                       |



| Model               | CG430 4 in 1                         |
|---------------------|--------------------------------------|
| Engine              | 1E34F/36F/40F-5                      |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 1.25kw                               |
| Displacement        | 42.7cc                               |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 1200ml                               |
| G.W/N.W Engine      | 13.5kg                               |
| Packing Size Engine | 1080x290x280(130)mm                  |



| Model               | 411-L                                | 411-R                                |
|---------------------|--------------------------------------|--------------------------------------|
| Engine              | 1E40-6                               | 1E40-6                               |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 1.45kw                               | 1.45kw                               |
| Displacement        | 40.2cc                               | 40.2cc                               |
| Carburetor Type     | Float type                           | Float type                           |
| Fuel Tank           | 1000ml                               | 1000ml                               |
| G.W/N.W Engine      | 4.6kg                                | 4.6kg                                |
| G.W/N.W Shaft       | 3.2kg                                | 3.2kg                                |
| Packing Size Engine | 320x300x220mm                        | 320x300x220mm                        |
| Packing Size Shaft  | 1650x100x100mm                       | 1650x100x100mm                       |



| Model           | WP330          | WP430          | WP35           |
|-----------------|----------------|----------------|----------------|
| Engine          | 1E36F          | 1E40-5         | 1E140F         |
| Engine type     | 2 Stroke       | 2 Stroke       | 4 Stroke       |
| Max power       | 0.9kw          | 1.25kw         | 1.0kw          |
| Displacement    | 33cc           | 42.7cc         | 35.8cc         |
| Carburetor Type | Diaphragm type | Diaphragm type | Diaphragm type |
| Fuel Tank       | 850ml          | 1200ml         | 1000ml         |
| Diameter        | 1"             | 1.5"           | 1"             |
| Suction head    | 7m             | 7m             | 7m             |
| Pump lift       | 26m            | 26m            | 26m            |
| Packing Size    | 445x295x345mm  | 445x295x345mm  | 445x295x345mm  |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | <b>MT430</b>                         |
| Engine              | 1E40-5                               |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 1.25kw                               |
| Displacement        | 42.7cc                               |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 1200ml                               |
| Packing Size Engine | 320x300x230mm                        |



|                     |                                      |
|---------------------|--------------------------------------|
| Model               | <b>BC430</b>                         |
| Engine              | 1E40-5                               |
| Engine type         | Single Cylinder,Air Cooled, 2 Stroke |
| Max power           | 1.25kw                               |
| Displacement        | 42.7cc                               |
| Carburetor Type     | Diaphragm type                       |
| Fuel Tank           | 1200ml                               |
| Packing Size Engine | 320x300x230mm                        |











|                     |                  |                  |                  |
|---------------------|------------------|------------------|------------------|
| Model               | <b>EA330</b>     | <b>EA430A</b>    | <b>EA430B</b>    |
| Engine              | 1E36F            | 1E40-5           | 1E40-5           |
| Engine type         | 2 Stroke         | 2 Stroke         | 2 Stroke         |
| Max power           | 0.9kw            | 1.25kw           | 1.25kw           |
| Displacement        | 33cc             | 42.7cc           | 42.7cc           |
| Carburetor Type     | Diaphragm type   | Diaphragm type   | Diaphragm type   |
| Fuel Tank           | 850ml            | 1200ml           | 1200ml           |
| Drill Diameter      | 10/15/20/30/40CM | 10/15/20/30/40CM | 10/15/20/30/40CM |
| Packing Size Engine | 320x300x220mm    | 320x300x230mm    | 320x300x230mm    |

## Hedge Trimmer



|                 |                                      |                                      |
|-----------------|--------------------------------------|--------------------------------------|
| Model           | <b>HT230S</b>                        | <b>HT230D</b>                        |
| Engine          | 1E32F                                | 1E32F                                |
| Engine type     | Single Cylinder,Air Cooled, 2 Stroke | Single Cylinder,Air Cooled, 2 Stroke |
| Max power       | 0.65kw                               | 0.65kw                               |
| Displacement    | 22.7cc                               | 22.7cc                               |
| Carburetor Type | Diaphragm type                       | Diaphragm type                       |
| Fuel Tank       | 600ml                                | 600ml                                |

070 HIGH QUALITY SPARE PARTS



070 HIGH QUALITY SPARE PARTS



## Chain Saw

**SWEET**

### 070 HIGH QUALITY SPARE PARTS



## Chain Saw

**SWEET**

### 070 HIGH QUALITY SPARE PARTS



**380/381 HIGH QUALITY SPARE PARTS**




Illustration **A**  
crankcase




Illustration **B**  
cylinder




Illustration **E**  
clutch




Illustration **D**  
rewind starter




Illustration **H**  
tank housing




Illustration **J**  
air filter, handlebar




Illustration **M**  
AV system




Illustration **N**  
chain tensioner  
carburetor box cover

**380/381 HIGH QUALITY SPARE PARTS**



Crankcase



Connector



Spline screw IS-M5x18



Circlip 40x1.75



Grooved ball bearing 6203



Grooved ball bearing 6202



Oilseal 17x39.9x5



Oilseal 13x22x5



Hose



Gasket



Crankshaft



Woodruff key 2x3.7



Needle cage 12x16x13



O-ring 23x3



Cylinder Ø52mm



Cylinder Ø52mm



Piston Ø52mm



Piston ring Ø52x1.5mm



Cylinder gasket



Spline screw IS-M5x18



Spark plug WSR 6F



Exhaust gasket



Hose clip Ø34x7



Manifold



Sleeve



Muffler



Self-tapping screw M4x8



Oil pump assy



Oil pump



Gasket



Spline screw IS-M4x25



Washer



Clutch



Chain sprocket 3/8" 7T



Spur Gear



Worm



Needle cage 12x16x24



Brake band



Lever



Circlip 6x0.7



E-clip 5



Pin



Torsion Spring



Lever



Sealing washer



Tension spring



Spline screw IS-M4x12



Cover



Washer



Circlip 36x1.2



Washer



E-clip 10x1.5



Hand guard



Spline screw IS-M5x16

380/381 HIGH QUALITY SPARE PARTS



|                     |                       |                                            |                                              |                                               |                             |                       |                     |
|---------------------|-----------------------|--------------------------------------------|----------------------------------------------|-----------------------------------------------|-----------------------------|-----------------------|---------------------|
|                     |                       | F1<br>Flywheel                             | F2<br>Hexagon nutM8x1                        | F3-F14<br>Ignition coil complete              | G1-15<br>Rewind starter     |                       |                     |
| G1<br>Fan housing   | G2<br>Bushing         | G6-7<br>Rewind spring                      | G8<br>Rope rotor                             | G9-11<br>Pawl+washer+spring                   | G12<br>Starter grip         | G13<br>Rope           | G14<br>Segment      |
| H<br>Tank housing   | H3<br>Collar screw    | H4<br>Elbow                                | H11<br>Connector                             | H5-6<br>Tank vent                             | H9<br>Fuel                  | H10<br>Filter         | H12<br>Switch shaft |
| H13<br>Support      | H14<br>Contact spring | H16<br>Grommet                             | H17<br>O-ring                                | H18<br>Throttle                               | H19<br>Trigger interlock    | H20<br>Spring         |                     |
| H21<br>Throtter rod | H22<br>Cylidrical pin | H23<br>Pan head self-tapping screwIS-P4x19 | H24<br>Handle molding                        | H25<br>Washer                                 | J1<br>Carburetor            | J2<br>Hexagon nut M5  |                     |
| J3<br>Grommet       | J4-11<br>Air filter   | J6-7<br>Torsion Spring                     | J12-13<br>Hanfdle bar                        | J14<br>Pan head self-tapping screwIS-ST6.3x19 | J15<br>Chain sprocket cover | J16<br>Bumper strip   |                     |
| J17<br>Guard        | J18<br>Collar nut M8  | M1<br>Annular buffer                       | M2<br>Pan head self-tapping screwIS-ST6.3x19 | M3<br>Plug                                    | M4<br>Rewind spring         | M5<br>Chain catcher   |                     |
| M6<br>Spline screw  | M7<br>Annular buffer  | M8<br>Plug                                 | M9<br>Annular buffer                         | M10<br>Spline screwIS-M5x12                   | M11<br>Retainer             | M12<br>Pan head screw |                     |



380/381 HIGH QUALITY SPARE PARTS

|                                |                                              |                             |                             |                             |                    |                    |
|--------------------------------|----------------------------------------------|-----------------------------|-----------------------------|-----------------------------|--------------------|--------------------|
| N1<br>Collar screwM8           | N2<br>Spur gear<br>Chain adjusting screw kit | N3<br>O-ring 7x15           | N4<br>Tensioner slide       | N5<br>Thrust pad            | N6<br>Cover plate  |                    |
| N7<br>Pan head screw IS-M5x12  | N8<br>Support                                | N9<br>Inner side plate      | N10<br>Trigger Bumper spike | N11<br>Spline screwIS-M5x12 | N12<br>Lock nut M5 |                    |
| N13-17<br>Carburetor bos cover | N14<br>Prefilter,self-tapping screw IS-P4X19 | N15<br>Spline ScrewIS-M5x12 | N16<br>Twist                | N17<br>Lock                 | N18<br>E-clip 5    | N19<br>Shroud      |
| N21<br>Spline screw            | N22<br>Ring                                  | B14<br>Valve                | E32<br>Bushing              | O3<br>Combination wrench    | O4<br>Screwdriver  | O5<br>Bumper strip |



**066 HIGH QUALITY SPARE PARTS**



**066 HIGH QUALITY SPARE PARTS**



## Chain Saw

**SWEET®**

### 268 HIGH QUALITY SPARE PARTS



## Chain Saw

**SWEET®**

### 5200 HIGH QUALITY SPARE PARTS



## Chain Saw

**SWEET®**

### 5200 HIGH QUALITY SPARE PARTS



## Brush Cutter

**SWEET®**

### CX35 HIGH QUALITY SPARE PARTS



YONGKANG KUNYU GARDEN MACHINERY CO.,LTD.

Gear Case Series


SWEET®



解剖图



平面图



快速注油孔



纯铜齿轮



锥形轴承




合成级润滑油



YONGKANG KUNYU GARDEN MACHINERY CO.,LTD.

Weeding wheel Series

SWEET®



YONGKANG KUNYU GARDEN MACHINERY CO.,LTD.

Connector Series

**SWEET**



C-01



C-02



C-03



C-04



C-05



C-06



C-07




C-08



C-09



C-10



C-11



C-12



C-13



C-14



C-15



C-16

YONGKANG KUNYU GARDEN MACHINERY CO.,LTD.

Starter Series

**SWEET**



CS-2500



CS-3800



CS-3800-E



CS-4500



CS-5200



CS-5200-E



MS-180



MS-181



MS-250



MS-251



MS-260



MS-290



MS-360



MS-361



MS-038



MS-381



MS-440



MS-660



MS-070



MS-070 REW



HS-137



HS-263



HS-51



HS-350



HS-268



HS-288



HS-365



CS-4000



P-350



CS-6200

YONGKANG KUNYU GARDEN MACHINERY CO.,LTD.

**Starter Series**  
**SWEET**



YONGKANG KUNYU GARDEN MACHINERY CO.,LTD.

**Guide bar Series**  
**SWEET**

10-1/4-50ST  
12-1/4-50ST  
14-1/4-50ST  
G2500

10", 12" 14"

16-3/8 60D-63ST  
18-3/8 66D-63ST

16" 18"

E16,E20,024,026,028 SUPER,030,031,032,034,036,038,040,041,042,044,045,048,056,064,066

16-3/8 50ST  
18-3/8 50ST  
20-3/8 50ST  
22-3/8 50ST  
G4500,G5200

16"-22"

20-3/8-72D-63ST  
22-3/8-76D-63ST  
25-3/8-84D-63ST

20"-25"

041,056,064,066,038,039,041,042,044,046,056,310,380,390,440,460,045,045,064,066

36-404-104D-63ST  
33-404-100D-63ST  
30-404-92D-63ST  
25-404-84D-63ST

25"-36"

07,09,050,051,070,075,076,084,090,E-30,S10

42-404-124D-63ST

42"

CS1100VL,CS1200, 070,090



18"-24"

ONE-PIECE  
REPLACABLE  
SPROCKET NOSE




16"-20"

FIXED END  
ONE-PIECE

Represents  
(on depth gauge)

1=1/4"  
2=.325"  
3=3/8"  
4=404"  
5=3/8"LP



Gauge  
(on drive link)

1=.043"(1.1mm)  
3=.050"(1.3mm)  
5=.058"(1.5mm)  
6=.063"(1.6mm)



Cutter Shape

E=Square

Q=.Semicircle



Number of Drive  
Links in Reel

| Type  | 100"reel |
|-------|----------|
| 1/4"  | 2400     |
| .325" | 1840     |
| .3/8" | 1635     |
| .404" | 1480     |

## IN REEL OR IN SINGLE RING



**PITCH:0.404"**  
**GAUGE: 0.063"/0.058"**



**PITCH:3/8"**  
**GAUGE: 0.050"/0.058"/0.063"**



**PITCH:3/8" LP**  
**GAUGE: 0.043"/0.050"**



**PITCH:0.325"**  
**GAUGE: 0.050"/0.058"/0.063"**

## SAW CHAIN



3/8"  
Stone saw chain: the product is applicable to cut granite.  
Marble and concrete etai which teir rigidity is less than 12F



3/8"  
Manual saw chain: the product is easy to fetch,  
the blade is sarp, it is not need other drive power,  
the product mainly use in prouning garden or park

